



Alpenhof
Fondue Dörren
am Geburtstag

Cafeteria
Chia Cake

Boutique de la Pâtisserie

CELEBRATING
20 YEARS
IN BUSINESS

MADAME'S SÜSSE MINUTEN
NACHKATZ

Ortiz

THEUNIS

Pâtisserie
SUPERU
Sambolbe

M
HARRIOTT
VIENNA

eigen





F277S 25 x 16 mm/ 20 mm/ 18 x 18 mm

Env. Normal 588 ud.

Env. Industrial 2016 ud.



F278S 37 x 24 mm/ 27 x 27 mm/ 30 mm

Env. Normal 315 ud.

Env. Industrial 1080 ud.



F175S 28 x 24 mm

Env. Normal 378 ud.

Env. Industrial 1296 ud.



F269 28 x 28 mm

Env. Normal 135 ud.

Env. Industrial 450 ud.



F91S 40 x 39 mm

Env. Normal 147 ud.

Env. Industrial 504 ud.



F205S 44 x 35 mm

Env. Normal 168 ud.

Env. Industrial 576 ud.



F196S 50 x 31 mm

Env. Normal 168 ud.

Env. Industrial 576 ud.





F16 45 x 45 mm
Env. Normal 144 ud.
Env. Industrial 432 ud.



F16S 45 x 45 mm
Env. Normal 144 ud.
Env. Industrial 432 ud.



F211 38 x 21 mm
Env. Normal 308 ud.
Env. Industrial 1056 ud.



F212 36 x 23 mm
Env. Normal 308 ud.
Env. Industrial 1056 ud.



F230S 45 x 30 mm
Env. Normal 210 ud.
Env. Industrial 720 ud.



F222S 76 x 28 mm
Env. Normal 140 ud.
Env. Industrial 480 ud.



F85S 34 x 35 mm
Env. Normal 224 ud.
Env. Industrial 768 ud.



*Minimum order: Normal Pack 5 boxes / Industrial Pack 12 boxes



F206S 47 x 30 mm
Env. Normal 357 ud.
Env. Industrial 1224 ud.



F50 25 x 45 mm
Env. Normal 294 ud.
Env. Industrial 1008 ud.



F170S 41 x 36,7 mm / 45 x 35 mm
Env. Normal 168 ud.
Env. Industrial 576 ud.



F127S 68 x 85 mm
Env. Normal 42 ud.
Env. Industrial 144 ud.



F19 80 x 29 mm
Env. Normal 105 ud.
Env. Industrial 360 ud.



F64 55 x 86 mm
Env. Normal 42 ud.
Env. Industrial 144 ud.





F225S 110 x 60 mm
 Env. Normal 42 ud.
 Env. Industrial 144 ud.



F187 72 mm
 Env. Normal 56 ud.
 Env. Industrial 192 ud.



F285S 40 mm
 Env. Normal 196 ud.
 Env. Industrial 672 ud.



F200S 31 mm
 Env. Normal 280 ud.
 Env. Industrial 960 ud.



F110 33 mm
 Env. Normal 266 ud.
 Env. Industrial 912 ud.



*Pedidos mínimos: Envase Normal 5 cajas / Envase Industrial 12 cajas

*Minimum order: Normal Pack 5 boxes / Industrial Pack 12 boxes



F17 24 mm

Env. Normal 462 ud.
Env. Industrial 1584 ud.



F1 30 mm

Env. Normal 315 ud.
Env. Industrial 1080 ud.



F9 39 mm

Env. Normal 147 ud.
Env. Industrial 504 ud.



F8 50 mm

Env. Normal 120 ud.
Env. Industrial 360 ud.



F53 68,5 mm

Env. Normal 56 ud.
Env. Industrial 192 ud.



F76 118 mm

Env. Industrial 34 ud.





F387S 20 mm
Env. Normal 588 ud.
Env. Industrial 2016 ud.



F17S 24 mm
Env. Normal 462 ud.
Env. Industrial 1584 ud.



FIS 30 mm
Env. Normal 315 ud.
Env. Industrial 1080 ud.



F314S 39 mm
Env. Normal 168 ud.
Env. Industrial 576 ud.



F8S 50 mm
Env. Normal 120 ud.
Env. Industrial 360 ud.




F75 150 mm
Env. Industrial 16 ud.




F75S 150 mm
Env. Industrial 16 ud.







F44 40 x 12 mm
Env. Normal 462 ud.
Env. Industrial 1584 ud.




F43 50 x 12 mm
Env. Normal 350 ud.
Env. Industrial 1200 ud.



F29 75 x 13,5 mm
Env. Normal 252 ud.
Env. Industrial 864 ud.




F12 54 x 17 mm
Env. Normal 280 ud.
Env. Industrial 960 ud.



F46 53 x 12 mm
Env. Normal 350 ud.
Env. Industrial 1200 ud.



F89 58 x 20 mm
Env. Normal 196 ud.
Env. Industrial 672 ud.



F99 70 x 23 mm
Env. Normal 154 ud.
Env. Industrial 528 ud.



F21 45 x 24 mm
Env. Normal 252 ud.
Env. Industrial 864 ud.



F20 90 x 40 mm
Env. Normal 72 ud.
Env. Industrial 216 ud.



F139 68 x 68 mm
Env. Normal 56 ud.
Env. Industrial 192 ud.



F28 49 x 49 mm
Env. Normal 120 ud.
Env. Industrial 360 ud.






F132S 29 x 9 mm
 Env. Normal 630 ud.
 Env. Industrial 2160 ud.




F82S 40 x 12 mm
 Env. Normal 462 ud.
 Env. Industrial 1584 ud.



F12S 54 x 17 mm
 Env. Normal 280 ud.
 Env. Industrial 960 ud.



F3 54 x 29 mm
 Env. Normal 175 ud.
 Env. Industrial 600 ud.



F195 18 x 29 mm
 Env. Normal 490 ud.
 Env. Industrial 1680 ud.



F5 38 x 24 mm
 Env. Normal 294 ud.
 Env. Industrial 1008 ud.



F6 42 x 25 mm
 Env. Normal 210 ud.
 Env. Industrial 720 ud.



F48 54 x 40 mm
 Env. Normal 105 ud.
 Env. Industrial 360 ud.



F2S 29 x 29 mm
 Env. Normal 315 ud.
 Env. Industrial 1080 ud.



F2 29 x 29 mm
 Env. Normal 315 ud.
 Env. Industrial 1080 ud.



F4 35 x 35 mm
 Env. Normal 196 ud.
 Env. Industrial 672 ud.



F27 39 x 39 mm
 Env. Normal 147 ud.
 Env. Industrial 504 ud.





F162S 38 x 15 mm
Env. Normal 392 ud.
Env. Industrial 1344 ud.



F5S 38 x 24 mm
Env. Normal 294 ud.
Env. Industrial 1008 ud.



F210S 40 x 26 mm
Env. Normal 294 ud.
Env. Industrial 1008 ud.



F125S 54 x 29 mm
Env. Normal 140 ud.
Env. Industrial 480 ud.



F62S 55 x 15 mm
Env. Normal 315 ud.
Env. Industrial 1080 ud.



F46S 53 x 12 mm
Env. Normal 350 ud.
Env. Industrial 1200 ud.



F104S 60 x 14 mm
Env. Normal 252 ud.
Env. Industrial 864 ud.



F103S 42 x 16 mm
Env. Normal 378 ud.
Env. Industrial 1296 ud.



F321S 20 x 20 mm
Env. Normal 588 ud.
Env. Industrial 2016 ud.



F385S 25 x 25 mm
Env. Normal 462 ud.
Env. Industrial 1584 ud.



F27S 39 x 39 mm
Env. Normal 147 ud.
Env. Industrial 504 ud.



F369 38 x 24 mm
Env. Normal 294 ud.
Env. Industrial 1008 ud.



5 mm
↔



F213 35 x 22 mm
 Env. Normal 315 ud.
 Env. Industrial 1080 ud.



F7 46 x 26 mm
 Env. Normal 210 ud.
 Env. Industrial 720 ud.



F10 55 x 35 mm
 Env. Normal 140 ud.
 Env. Industrial 480 ud.



F22 42 x 36 mm
 Env. Normal 168 ud.
 Env. Industrial 504 ud.



F23 29 x 18 mm
 Env. Normal 462 ud.
 Env. Industrial 1584 ud.



F11 38 x 24 mm
 Env. Normal 294 ud.
 Env. Industrial 1008 ud.



F126S 40 x 25 mm
 Env. Normal 280 ud.
 Env. Industrial 960 ud.



F279S 47 x 30 mm
 Env. Normal 196 ud.
 Env. Industrial 672 ud.



F30 54 x 29 mm
 Env. Normal 175 ud.
 Env. Industrial 600 ud.



F141 90 x 50 mm
 Env. Normal 63 ud.
 Env. Industrial 216 ud.





F10S 55 x 35 mm
Env. Normal 140 ud.
Env. Industrial 480 ud.



F61S 60 x 27 mm
Env. Normal 175 ud.
Env. Industrial 600 ud.



F23S 29 x 18 mm
Env. Normal 462 ud.
Env. Industrial 1584 ud.



F92 30 mm
Env. Normal 315 ud.
Env. Industrial 1080 ud.



F15 47 x 60 mm
Env. Normal 120 ud.
Env. Industrial 360 ud.



F25 50 x 46 mm
Env. Normal 144 ud.
Env. Industrial 432 ud.



F219 50 x 44 mm
Env. Normal 126 ud.
Env. Industrial 432 ud.



F180 40 x 35 mm
Env. Normal 196 ud.
Env. Industrial 672 ud.



F218 30 x 27 mm
Env. Normal 315 ud.
Env. Industrial 1080 ud.





F116 49 x 55 mm
Env. Normal 140 ud.
Env. Industrial 480 ud.



F90 49 x 29 mm
Env. Normal 210 ud.
Env. Industrial 720 ud.



F181 55 x 28 mm
Env. Normal 175 ud.
Env. Industrial 600 ud.



F119 40 x 52 mm
Env. Normal 126 ud.
Env. Industrial 432 ud.



F18 42 x 54 mm
Env. Normal 120 ud.
Env. Industrial 360 ud.



F13 45 x 47 mm
Env. Normal 144 ud.
Env. Industrial 432 ud.



F14 44 x 69 mm
Env. Normal 120 ud.
Env. Industrial 360 ud.



F24 33 x 57 mm
Env. Normal 140 ud.
Env. Industrial 480 ud.





F338 44 x 48 mm
Env. Normal 168 ud.
Env. Industrial 576 ud.



F382S 41 x 36 mm
Env. Normal 336 ud.
Env. Industrial 1152 ud.



F324S 30 x 25 mm
Env. Normal 378 ud.
Env. Industrial 1296 ud.



F345 13 x 22 mm
Env. Normal 840 ud.
Env. Industrial 2880 ud.



F51 24 x 45 mm
Env. Normal 252 ud.
Env. Industrial 864 ud.



F361S 37 x 24 mm
Env. Normal 315 ud.
Env. Industrial 1080 ud.



F291 110 x 15 mm
Env. Normal 112 ud.
Env. Industrial 384 ud.





F377 34 x 34 mm
Env. Normal 224 ud.
Env. Industrial 768 ud.



F370S 45 x 36 mm
Env. Normal 168 ud.
Env. Industrial 576 ud.



F384S 20 x 50 mm
Env. Normal 245 ud.
Env. Industrial 840 ud.



F362S 60 x 29 mm
Env. Normal 140 ud.
Env. Industrial 480 ud.



F381S 37,5 x 32,6 mm
Env. Normal 196 ud.
Env. Industrial 672 ud.



F348 26 x 35 mm
Env. Normal 315 ud.
Env. Industrial 1080 ud.






F374 34 x 27 mm
 Env. Normal 280 ud.
 Env. Industrial 960 ud.



F379 30 x 30,5 mm
 Env. Normal 315 ud.
 Env. Industrial 1080 ud.



F87S 56 x 30 mm
 Env. Normal 147 ud.
 Env. Industrial 504 ud.



F344S 45 x 33 mm
 Env. Normal 168 ud.
 Env. Industrial 576 ud.



F274 90 x 24 mm
 Env. Normal 126 ud.
 Env. Industrial 432 ud.





F337 27 x 34 mm
Env. Normal 315 ud.
Env. Industrial 1080 ud.



F336 45,5 x 48 mm
Env. Normal 126 ud.
Env. Industrial 432 ud.



F356S 25 x 30 mm
Env. Normal 315 ud.
Env. Industrial 1080 ud.



F328S 39 x 45 mm
Env. Normal 168 ud.
Env. Industrial 576 ud.



F340 36,6x 46 mm
Env. Normal 168 ud.
Env. Industrial 576 ud.





F149S 48,5 x 38,5 mm
 Env. Normal 147 ud.
 Env. Industrial 504 ud.



F221 73 x 41 mm
 Env. Normal 168 ud.
 Env. Industrial 576 ud.



F146S 46 x 44 mm
 Env. Normal 126 ud.
 Env. Industrial 432 ud.



F147S 46 x 47,3 mm
 Env. Normal 126 ud.
 Env. Industrial 432 ud.

